



























**WAEELBERS**



Référence	Dimension mm	EP mm	Perçage Q / Ø	Cdt	
<b>Pied de poteau à enfoncer</b>					
<b>427303.99</b>	71 x 71 x 750	2	6 / 10,5	1	
<b>427323.99</b>	91 x 91 x 900	2	6 / 10,5	1	
<b>427363.99</b>	71 x 71 x 900	2	6 / 10,5	1	
<b>427373.99</b>	91 x 91 x 750	2	6 / 10,5	1	
<b>427393.99</b>	121 x 121 x 900	2	6 / 10,5	1	
<b>Pied de poteau à enfoncer</b>					
<b>427309.99</b>	71 x 71 x 750	2	4 / 10,5	1	
<b>Pied de poteau à enfoncer</b>					
<b>426903.99</b>	71 x 71 x 350	2	4 / 10,5	1	
<b>426923.99</b>	91 x 91 x 350	2	4 / 10,5	1	
<b>Pieds de poteau à boulonner</b>					
<b>428303.99</b>	71 x 71 - 150 x 150	2	8 / 8,5	1	
<b>428323.99</b>	91 x 91 - 150 x 150	2	8 / 8,5	1	
<b>428353.99</b>	121 x 121 - 150 x 150	2	8 / 8,5	1	
<b>Support de Poteau à fixer</b>					
<b>428373.99</b>	Ø 80	2	8 / 10,5	1	
<b>428383.99</b>	Ø 100	2	8 / 10,5	1	
<b>Pied de poteau en U sur platine</b>					
<b>429303.99</b>	71 / 200x50	5	8 / 10,5	1	
<b>429313.99</b>	81 / 200x50	5	8 / 10,5	1	
<b>429323.99</b>	91 / 200 x 50	5	8 / 10,5	1	
<b>429333.99</b>	101 / 200 x 50	5	8 / 10,5	1	
<b>429353.99</b>	121 / 200 x 50	5	8 / 10,5	1	

Référence	Dimension mm	EP mm	Perçage Q / Ø	Cdt	
<b>Support de Poteau à fixer</b>					
<b>429603.99</b>	71	5	9 / 10,5	1	
<b>429623.99</b>	91	5	9 / 10,5	1	
<b>Pied de poteau en H</b>					
<b>426333.99</b>	71 / 600 x 60	5		1	
<b>426343.99</b>	91 / 600 x 60	5		1	
<b>42635313.99</b>	121 / 600 x 60	5		1	
<b>Pieds de poteau en U à sceller</b>					
<b>4203.99</b>	71 / 100 x 60	5	6 / 10,5	1	
<b>4223.99</b>	91 / 100 x 60	5	6 / 10,5	1	
<b>4253.99</b>	121 / 100 x 60	5	6 / 10,5	1	
<b>Pied de Poteau en L</b>					
<b>426303.99</b>		4	3 / 10,5	1	
<b>Pied de poteau en U renforcé à sceller</b>					
<b>426363.99</b>	71 / 205 x 50	5	4 / 10,5	1	
<b>426383.99</b>	91 / 205 x 50	5	4 / 10,5	1	
<b>Pied de poteau double platine, âme intérieure</b>					
<b>426703.99</b>	H: 100 180x100 80x90 120x80	5,0 8,0 6,0	4 / 13,0 4 / 11,0	1	
<b>Pied de poteau universel double platine Bichromaté</b>					
<b>426502.99</b>	M 20 - H:110 / 180 - 90 x 160 - 90 x 90	5	4 / 10,5	1	
<b>426532.99</b>	M 20 - H:110 / 180 - 90 x 90 - 90 x 90	5	4 / 10,5	1	

Référence	Dimension mm	EP mm	Perçage Q / Ø	Cdt	
<b>Pied de poteau universel âme intérieure Bichromaté</b>					
<b>426522.99</b>	M 20 - H: 135 / 215 - 160 x 70 - 100 x 80 - 120 x 80	8	2 / 13,0 - 4 / 11,0	1	
<b>Pied de poteau universel Bichromaté</b>					
<b>426512.99</b>	M 20 - H: 135 / 215 - 80 / 160 - 180 x 100	5,25	4 / 9,0 - 8 / 5,8 4 / 13,0	1	
<b>Pied de poteau en U à sceller, réglable en largeur</b>					
<b>426393.01</b>	65 - 120 / 60	5	6 / 8,6	1	
<b>426403.01</b>	80 - 151 / 80	4	6 / 8,6	1	
<b>Ornement de poteau diamant zingué à chaud</b>					
<b>420013.09</b>	71 x 71		2 / 2,5	25	
<b>420033.09</b>	91 x 91		2 / 3,0	25	
<b>420063.09</b>	121 x 121		2 / 3,0	25	
<b>Ornement de poteau diamant alumimium époxy noire</b>					
<b>420015.09</b>	71 x 71		2 / 2,5	25	
<b>420035.99</b>	91 x 91		2 / 2,5	25	
<b>Ornement de poteau diamant alumimium</b>					
<b>420016.09</b>	71 x 71		2 / 2,5	25	
<b>420036.09</b>	91 x 91		2 / 3,0	25	
<b>Ornement de poteau Inox</b>					
<b>420017.09</b>	71 x 71		2 / 2,5	25	
<b>420037.09</b>	91 x 91		2 / 2,5	25	
<b>420067.09</b>	121 x 121		2 / 2,5	25	








Référence	Dimension mm	EP mm	Perçage Q / Ø	Cdt	
<b>Ornement diamant Cuivre</b>					
<b>42001KR.09</b>	71 x 71		2 / 2,5	25	
<b>42003KR.09</b>	91 x 91		2 / 3,0	25	
<b>Ornement de poteau boule zingué à chaud</b>					
<b>420113.09</b>	71 x 71		2 / 2,5	25	
<b>420133.09</b>	91 x 91		2 / 3,0	25	
<b>Ornement de poteau boule aluminium noir</b>					
<b>420115.09</b>	71 x 71		Ø 2 / 3,0	25	
<b>420135.09</b>	91 x 91		Ø 2 / 4,0	25	
<b>Ornement de poteau boule aluminium</b>					
<b>420116.09</b>	71 x 71		2 / 3,0	25	
<b>420136.09</b>	91 x 91		2 / 4,0	25	
<b>Ornement de poteau boule Inox</b>					
<b>420117.09</b>	71 x 71		2 / 2,5	25	
<b>420137.09</b>	91 x 91		2 / 2,5	25	
<b>Ornement Boule Cuivre</b>					
<b>42011KR.09</b>	71 x 71		2 / 2,5	25	
<b>42013KR.09</b>	91 x 91		2 / 3,0	25	








Référence	Dimension mm	EP mm	Perçage Q / Ø	Cdt	
<b>Support à Grillage</b>					
<b>460311.13</b>	entrée 4mm	2	2 / 5,0	100	
<b>460311KVP.24</b>	entrée 4mm	2	2 / 5,0	20 x 4	
<b>460321KVP.24</b>	entrée 6mm	2	2 / 5,0	20 x 4	
<b>460321.13</b>	entrée 6mm	2	2 / 5,0	100	
<b>460331KVP.24</b>	entrée 8mm	2	2 / 5,0	20 x 4	
<b>460331.13</b>	entrée 8mm	2	2 / 5,0	100	
<b>Equerre à vis bichromaté</b>					
<b>4052.13</b>		2	2 / 4,2	100	
<b>405212.83</b>	4 vis inclu	2	2 / 4,2	25 sachets	
<b>Equerre à vis Inox</b>					
<b>4056.09</b>		2	2 / 4,3	25	
<b>4056.13</b>		2	2 / 4,3	100	
<b>405616.85</b>	4 vis inclu	2	2 / 4,3	10 sachets	
<b>Equerre à vis Galvanisé à chaud</b>					
<b>4053.13</b>	forme en L	2	2 / 4,1	100	
<b>Equerre à vis Bichromaté</b>					
<b>OND4042.16</b>		2	2 / 4,3 - 1 / 9,6	250	
<b>Equerre à vis Inox</b>					
<b>OND4046.16</b>		2	2 / 4,3 - 1 / 9,6	250	






Référence	Dimension mm	EP mm	Perçage Q / Ø	Cdt	
<b>Equerre en U à vis pour palissade Bichromaté</b>					
<b>4062.13</b>	37	2	2 / 4,3	100	
<b>4072.13</b>	47	2	2 / 4,3	100	
<b>Set de penture 71 mm galvanisé Bichromaté</b>					
<b>408202.13</b>	70 mm			100	
<b>408212.13</b>	90 mm			100	
<b>Pied de poteau simple platine à sceller</b>					
<b>429503.99</b>	80 x 80 H: 300	4	4 / 8,5	1	
<b>429513.99</b>	140 x 140 H: 300	4	4 / 8,5	1	
<b>Collier de protection</b>					
<b>660313.99</b>	110 x 130	4		1	
<b>Pied de poteau double platine</b>					
<b>429393.99</b>	65 x 65 / 55 x 55 H: 70	4	8 / 8,3	1	
<b>429403.99</b>	140 x 140 / 100 x 100 H: 100	4	8 / 8,6	1	
<b>429413.99</b>	140 x 140 / 80 x 80 H: 150	4	8 / 8,6	1	
<b>Fermeture de portillon automatique Bichromaté</b>					
<b>1312.09</b>	60 x 45	2	6 / 5,0	25	
<b>1312.70</b>	60 x 45 par paquet	2	6 / 5,0	10	
<b>Fermeture de portillon automatique Galvanisé</b>					
<b>1311.09</b>	60	2	6 / 5,0	25	

Référence	Dimension mm	EP mm	Perçage Q / Ø	Cdt	
<b>Fermeture de portillon automatique Inox</b>					
<b>1316.09</b>	60	2	6 / 5,0	25	
<b>1316.03</b>	60	2	6 / 5,0	3	
<b>Fermeture double pour portillon de clôture Bichromaté</b>					
<b>1332.42</b>	430 - 185 x 70	2,5	12 / 4,8	5	
<b>Fermeture double pour portillon de clôture Galvanisé</b>					
<b>1331.42</b>	430 - 185 x 70	2,5	12 / 4,8	5	
<b>Fermeture double pour portillon de clôture</b>					
<b>1333.42</b>	430 - 185 x 70	2,5	12 / 4,8	5	
<b>Fermeture double pour portillon de clôture Inox</b>					
<b>1336.32</b>	430 - 185 x 70	2,5	12 / 4,8	5	
<b>Fermeture de clôture Bichromaté</b>					
<b>1302.05</b>	100 x 80	2	4 / 4,8 - 2 / 5,8	10	
<b>1302.70</b>	100 x 80 - op kaart	2	4 / 4,8 - 2 / 5,8	10	
<b>Fermeture de clôture Galvanisé</b>					
<b>1301.05</b>	100 x 80	2	4 / 4,8 - 2 / 5,8	10	



Référence	Dimension mm	EP mm	Perçage Q / Ø	Cdt	
<b>Fermeture de clôture étroite Bichromaté</b>					
<b>130202.05</b>	100 x 60	2	4 / 4,8 - 2 / 5,8	10	
<b>Fermeture de clôture étroite Galvanisé</b>					
<b>130201.05</b>	100 x 60	2	4 / 4,8 - 2 / 5,8	10	
<b>Fermeture de clôture petit model en INOX</b>					
<b>130206.02</b>	100 x 60	2	4 / 4,8 - 2 / 5,8	5	
<b>Fermeture à l'ancienne Galvanisé</b>					
<b>1231.05</b>	120 x 85	2	4 / 3 - 6 / 3,6	10	
<b>1231.70</b>	120 x 85 - op kaart	2	4 / 3 - 6 / 3,6	10	
<b>Fermeture à l'ancienne Inox</b>					
<b>1236.02</b>	120 x 85 mm	2	4 / 3 - 6 / 3,6	5	
<b>Fermeture rustique</b>					
<b>1253.01</b>			6 / 4,2 - 2 / 5,4 - 1 / 7,2	1	
<b>Fermeture pour portillon</b>					
<b>1449.70</b>			2 / 4,6 - 6 / 3,6 - 2 / 5,6	10	

Référence	Dimension mm	EP mm	Perçage Q / Ø	Cdt	
<b>Fermeture de portillon Bichromaté</b>					
<b>132702.02</b>			12 / 4,5	5	
<b>Fermeture avec clés</b>					
<b>147569.05</b>	88 x 100		6 / 5,0 - 2 / 3,8	10	
<b>Verrou pistolet Bichromaté</b>					
<b>1352.42</b>	Ø 16 / 400 x 40	5	4 / 6,0	5	
<b>1362.42</b>	Ø 16 / 500 x 40	5	4 / 6,0	5	
<b>Verrou pistolet Galvanisé</b>					
<b>1351.42</b>	Ø 16 / 400 x 40	5	4 / 6,0	5	
<b>Verrou pistolet</b>					
<b>1353.42</b>	Ø 16 / 400 x 40	5	4 / 6,0	5	
<b>1363.42</b>	Ø 16 / 500 x 40	5	4 / 6,0	5	
<b>Sabot de portail Bichromaté</b>					
<b>1372.42</b>	185 x 125 x 3 - M10 x 150	3		5	
<b>Sabot de portail Galvanisé</b>					
<b>1371.42</b>	185 x 125 x 3 - M10 x 150	3		5	

Référence	Dimension mm	EP mm	Perçage Q / Ø	Cdt	
<b>sabot de portail électro- zingué</b>					
<b>1373.42</b>	185 x 125 x 3 - M10 x 150	3		5	
<b>Crochet balançoire avec clip sécurité</b>					
<b>629112.05</b>	140	M12		10	
<b>Crochet balançoire avec mousqueton</b>					
<b>629122.05</b>	140	M12		10	
<b>Crochet balançoire avec manille</b>					
<b>629132.05</b>	140	M12		10	
<b>Raidisseur TV</b>					
<b>412013.08</b>	100			20	
<b>Raidisseur Bichromaté</b>					
<b>413012.08</b>	100			20	
<b>Raidisseur GC</b>					
<b>413015.08</b>	100			20	