








WAELBERS





Référence	Dimension mm	EP mm	Perçage Q / Ø	Cdt	
Equerre de chaise INOX					
2166.13	40 x 40 x 15	2	4 / 4,2	100	
2196.13	60 x 60 x 20	2	4 / 4,0	100	
2216.11	80 x 80 x 20	2	6 / 5,0	50	
2236.11	100 x 100 x 20	2	6 / 5,5	50	
Equerre de fenetre INOX					
2066.11	120 x 120	2	6 / 4,2	50	
Equerre perforées INOX 304					
4306.11	30 x 30 x 30	2	4 / 5,0	50	
4306.16	30 x 30 x 30	2	4 / 5,0	250	
4316.11	40 x 40 x 40	2	4 / 5,0	50	
4316.16	40 x 40 x 40	2	4 / 5,0	250	
4356.11	50 x 50 x 50	2	8 / 5,0	50	
Verrou carré INOX					
102106.05	35 x 37 sortie 7	1	6 / 4,0	10	
102116.05	40 x 40 sortie 8	1	6 / 4,0	10	
102126.05	50 x 50 sortie 9	1	6 / 4,0	10	
Verrou INOX					
1046.05	100 x 50	1,25	8 / 4,5	10	
Gros verrou universel INOX					
1106.05	100 x 60	1,5	8 / 4,8	10	
Verrou à coulisse porte cadenas INOX					
1656.05	100 x 45	2	8 / 4,5	10	
1666.05	120 x 55	2	8 / 4,5	10	
1676.05	140 x 55	2	8 / 4,5	10	

Référence	Dimension mm	EP mm	Perçage Q / Ø	Cdt	
Verrou à coulisse en INOX					
1516.05	120 x 55	2	8 / 4,5	10	
Verrou de fenêtre en INOX					
1826.05	80 x 28	1	8 / 2,6	10	
Fenêtre de clos réglable en INOX					
130206.02	100 x 60	2	4 / 4,8 - 2 / 5,8	5	
Verrou Baïonnette INOX					
1146.31	400 x 65	1,5	8 / 4,5	5	
Loquette de grille INOX					
1316.09	60	2	6 / 5,0	25	
1316.03	60	2	6 / 5,0	3	
Verrou avec porté en INOX					
1336.32	430 - 185 x 70	2,5	12 / 4,8	5	
Verrou d'agriculteur en INOX					
1236.02	120 x 85 mm	2	4 / 3 - 6 / 3,6	5	



Référence	Dimension mm	EP mm	Perçage Q / Ø	Cdt
-----------	--------------	-------	---------------	-----

Pentures en croix Inox

0026.05	L = 200 mm	36 x 2,0	2 / 7,0 - 4 / 5,4	10
0046.05	L = 300 mm	36 x 2,0	2 / 7,0 - 7 / 5,4	10
0066.05	L = 400 mm	36 x 2,0	2 / 7,0 - 8 / 5,4	10



Penture festonnée forte en INOX

0126.28	500	40 x 4,0	3 / 6,4 - 4 / 5,5 - 2 / 8,4	4
----------------	-----	----------	-----------------------------	---



Equerre multitrous INOX

448406.11	40 x 40 x 60	2	6 / 5,0	50
448416.11	60 x 60 x 40	2	12 / 5,0	50
448446.11	60 x 60 x 60	2	18 / 5,0	50
449016.11	75 x 35 x 65	2		50



Equerre d'assemblage nervurée INOX

481436.11	70 x 70 x 55	2	20 / 5,0 - 2 / 11,0	50
4906.11	90 x 90 x 60	2	8 / 5,0 - 9 / 6,0 - 4 / 9,0 - 1 / 30,0x11,0	50



Equerre de fixation sans nervures en INOX


4876.11	90 x 90 x 60	2	8 / 5,0 - 9 / 6,0 - 4 / 9,0 - 1 / 30,0x11,0	50
4866.11	60 x 40 x 60	2	12 / 4,5 - 2 / 9,0 - 1 / 10,5x30,0 - 1 / 11,0	50
4826.11	100 x 40 x 60	2	12 / 4,5 - 1 / 10,0 - 2 / 11,0x30,0	50



Penture ø16 Inox

5506.28	Ø 16 - 300	40 x 4,0	1 / 8,2 - 1 / 8,8	4
5516.28	Ø 16 - 400	40 x 4,0	2 / 8,2 - 1 / 8,8	4
5526.28	Ø 16 - 500	40 x 4,0	3 / 8,2 - 1 / 8,8	4
5536.28	Ø 16 - 600	40 x 4,0	3 / 8,2 - 1 / 8,8	4
5556.28	Ø 16 - 800	40 x 4,0	4 / 8,2 - 1 / 8,8	4



Référence	Dimension mm	EP mm	Perçage Q / Ø	Cdt	
Gond sur platine ø 16 inox					
8106.31	Ø 16 - 19	40 x 4,0	4 / 6,3	4	
Ornement de poteau diamant en INOX					
420017.09	71 x 71		2 / 2,5	25	
420037.09	91 x 91		2 / 2,5	25	
420067.09	121 x 121		2 / 2,5	25	
Ornement de poteau boule en INOX					
420117.09	71 x 71		2 / 2,5	25	
420137.09	91 x 91		2 / 2,5	25	
Equerre à vis pour palissade en INOX					
4056.09		2	2 / 4,3	25	
4056.13		2	2 / 4,3	100	
405616.85	4 St, vis inclus	2	2 / 4,3	10	
Equerre pour palissade sans vis					
OND4046.16		2	2 / 4,3 - 1 / 9,6	250	
Ancre de maçon pour isolation INOX- A2					
340104.14	250	0,5		500	
340154.14	280	0,5		500	
340164.14	310	0,5		500	
Ancre de maçon pour isolation INOX- A4					
340114.14	250	0,5		500	
340124.14	280	0,5		500	
340134.14	310	0,5		500	



Référence	Dimension mm	EP mm	Perçage Q / Ø	Cdt		
Ancre de menuiserie en INOX- A2						
341106.14	160	4		500		
342106.14	190	4		500		
3436.14	210	4		500		
343246.14	220	4		500		
344606.14	250	4		500		
344216.14	300	4		500		
344226.14	400	4		500		
Ancre de maçonnerie à visser en INOX- A2						
345006.14	160	4		500		
3456.14	180	4		500		
345116.14	190	4		500		
345206.14	210	4		500		
34520816.14	220	4		500		
345216.14	250	4		500		
345226.14	300	4		500		
345236.14	400	4		500		
Ancre de maçonnerie universelle INOX- A2						
3406.14	170 x 30	3,6		500		
346126.14	200 x 30	3,6		500		
348126.14	230 x 30	3,6		500		
348146.14	260 x 30	3,6		500		
348166.14	290 x 30	3,6		500		
Ancre de maçonnerie contre glissement en INOX- A2						
340086.13	300	6		100		